

Thomas Crib
Conversion Rail

pottery barn kids






CONVERTS SINGLE
DROPSIDE CRIB
TO TODDLER BED

ASSEMBLY DIRECTIONS AND PARTS LIST

Φ READ ALL INSTRUCTIONS WITH CARE BEFORE STARTING THE ASSEMBLY PROCEDURE.

Φ YOU WILL NEED A PHILLIPS SCREWDRIVER, A STANDARD SLOTTED SCREWDRIVER AND A 3/8" WRENCH.

PARTS ENCLOSED IN HARDWARE BAG & CARTON (NOTED WHEN SHOWN ACTUAL SIZE)




PREPARATION


Carefully remove and lay out all hardware and parts. Check quantities and match the Hardware List and the Parts List. **NOTE: During the assembly process whenever using screws or bolts, check each with the Hardware List by letter and size identification. Place each screw or bolt on the diagram of the item which is sketched actual size. Be sure to use the proper size specified in the assembly directions.** If a part is missing or broken contact Pottery Barn Kids or write to Child Craft Industries, Inc., P.O. Box 444, Salem, IN 47167 USA for replacement part(s) or instructional literature. Make note of all identification numbers and include this information with your request. **DO NOT SUBSTITUTE PARTS!** Record your model identification number here for future identification: **Model #** _____

STEP 1 - DIAGRAM 1: REMOVE DROPSIDE

Remove the machine screws and the rubber washers from the lower tracks attached to the Footboard and Headboard as shown. Store parts in a safe place. **Do not store parts in the plastic bag attached to the spring.**



After Rubber Washers have been removed, lower the Dropside as you would during normal operation. The Dropside should fall freely to the floor. Store in a safe place. Read the storage suggestions on page 2 of these instructions.



Release Dropside and lower to the floor making sure the Dropside is free from hardware attached to the crib.

STEP 2 - DIAGRAM 2: ATTACH SIDE RAIL TO CRIB

Before attaching the Conversion Side Rail **E** to the crib, lower the crib spring to the lowest position on the 4-Position Spring Brackets on the crib.


Examine the Metal Bracket **D** and notice there are two different diameter holes. The small hole will receive Wood Screw **A** and the large hole will receive Machine Screw **B** or **C**.

Attach the four Metal Brackets **D** to both ends of the Conversion Side Rail **E** (using the smaller diameter hole) with Wood Screws **A**. Install Wood Screws **A** in the pilot holes bored in the Conversion Side Rail **E**. **TIP:** It may be helpful to leave Wood Screws **A** slightly loose at this time.

Attach both ends of Side Rail **E** to your crib with Machine Screw **B** and **C**. **Attach the top Metal Brackets first to the 4-Position Spring Bracket at the mounting position just above the lowest position using Machine Screw B.** Next, unbolt the (2) Hexhead Machine Screws which are holding the crib spring to the 4-Position Spring Bracket where the Conversion Side Rail **E** is being attached. Insert Machine Screw **C** through the Spring Tab, into the large hole in Metal Bracket **D** and thread into the lowest position on the 4-position Spring Bracket as shown. **Tighten all screws securely.**

Place a purchased mattress on the spring and your Toddler Bed is ready for use. **Observe the mattress size WARNING.**

When converting Toddler Bed back to a crib, do not remove Wood Screws **A**.




! WARNING

Φ CONVERSION RAIL MODEL 11714 MUST BE USED IF THE CRIB IS CONVERTED TO A TODDLER BED.

Φ WHEN USING AS A TODDLER BED, THE MINIMUM AGE SHALL NOT BE LESS THAN 15 MONTHS AND THE MAXIMUM WEIGHT SHALL NOT BE GREATER THAN 50 lb. (22.7 kg).

Φ NOTE: WHEN USING AS A TODDLER BED THE MATTRESS MUST HAVE MINIMUM DIMENSIONS OF 51-5/8 IN (1310 mm) IN LENGTH AND 27-1/4 IN (690 mm) IN WIDTH AND 4 IN (100 mm) IN THICKNESS BUT NOT TO EXCEED 6 IN.

MADE IN USA



Assembled Toddler Bed

WARNING

Φ FAILURE TO FOLLOW THESE WARNINGS AND ASSEMBLY INSTRUCTIONS COULD RESULT IN SERIOUS INJURY OR DEATH.

Φ READ ALL INSTRUCTIONS BEFORE ASSEMBLING CRIB. KEEP INSTRUCTIONS FOR FUTURE USE. A PLASTIC POUCH IS ATTACHED TO CRIB FOR PERMANENT STORAGE OF THE INSTRUCTIONAL LITERATURE.

Φ BEFORE EACH USAGE OR ASSEMBLY, INSPECT CRIB FOR DAMAGED HARDWARE, LOOSE JOINTS, MISSING PARTS OR SHARP EDGES. DO NOT USE CRIB IF ANY PARTS ARE MISSING OR BROKEN. ASK YOUR POTTERY BARN KIDS DEALER OR WRITE TO Child Craft Industries, Inc., P.O. Box 444, Salem, IN 47167 USA FOR REPLACEMENT PARTS AND INSTRUCTIONAL LITERATURE IF NEEDED. INCLUDE MODEL IDENTIFICATION NUMBERS WITH YOUR REQUEST WHICH YOU RECORDED ON PAGE ONE. DO NOT SUBSTITUTE PARTS.

Φ WHEN CHILD IS ABLE TO CLIMB OUT OR REACHES THE HEIGHT OF 35 INCHES (90 CENTIMETERS) THE CRIB SHALL NO LONGER BE USED. CONVERT TO A TODDLER BED.

Φ DO NOT PLACE CRIB NEAR WINDOW WHERE CORDS FROM BLINDS OR DRAPES MAY STRANGLE A CHILD.

Φ IF REFINISHING, USE A NON-TOXIC FINISH SPECIFIED FOR CHILDREN'S PRODUCTS.

Φ WHEN CHILD IS ABLE TO PULL TO STANDING POSITION, SET MATTRESS TO LOWEST POSITION AND REMOVE BUMPER PADS, LARGE TOYS AND OTHER OBJECTS THAT COULD SERVE AS STEPS FOR CLIMBING OUT.

Φ NEVER USE PLASTIC SHIPPING BAGS OR OTHER PLASTIC FILM AS MATTRESS COVERS BECAUSE THEY CAN CAUSE SUFFOCATION.

Φ DO NOT USE A WATER MATTRESS WITH THIS CRIB.

Φ REPLACE TEETHING RAIL(S) IF DAMAGED OR LOOSE. (IF EQUIPPED WITH TEETHING RAILS.)

Φ STRINGS CAN CAUSE STRANGULATION! DO NOT PLACE ITEMS WITH A STRING AROUND A CHILD'S NECK, SUCH AS HOOD STRINGS OR PACIFIER CORDS. DO NOT SUSPEND STRINGS OVER A CRIB OR ATTACH STRINGS TO TOYS.

Φ REMOVE ALL CRIB TOYS WHICH ARE STRUNG ACROSS CRIB AREA WHEN YOUR CHILD IS BEGINNING TO PUSH UP ON HANDS AND KNEES OR IS 5 MONTHS OF AGE, WHICHEVER OCCURS EARLIEST. THESE TOYS CAN CAUSE STRANGULATION.

Φ WHEN DISASSEMBLING THIS CRIB, DO NOT REMOVE ANY ITEM ATTACHED WITH WOOD SCREWS.

Φ ALWAYS ENSURE A SAFE ENVIRONMENT FOR THE CHILD BY CHECKING REGULARLY, BEFORE PLACING THE CHILD IN THE CRIB, THAT EVERY COMPONENT IS PROPERLY AND SECURELY IN PLACE.

CAUTION

Φ ANY MATTRESS USED IN THIS CRIB MUST BE AT LEAST 27-1/4 INCHES (69 CENTIMETERS), BY 51-5/8 INCHES (131 CENTIMETERS), WITH A THICKNESS NOT EXCEEDING 6 INCHES (15 CENTIMETERS). THE DIMENSIONS OF THE MATTRESS SHALL BE TAKEN FROM SEAM TO SEAM OR EDGE TO EDGE WHERE APPROPRIATE.

Φ UPON COMPLETION OF ASSEMBLY BE SURE ALL SCREWS, BOLTS AND FASTENING DEVICES HAVE BEEN TIGHTENED SECURELY. A FREQUENT CHECK SHOULD BE MADE OF ALL SCREWS, BOLTS AND FASTENING DEVICES AND TIGHTEN IF NEEDED.

MAINTENANCE OF YOUR CHILD CRAFT CRIB/TODDLER BED: Upon completion of assembly be sure all screws, bolts and fastening devices have been tightened securely. A frequent check should be made of all screws, bolts and fastening devices and tightened if needed. Before each usage or assembly, inspect crib for damaged hardware, loose joints, missing parts or sharp edges. DO NOT use crib if parts are missing or broken. Contact Pottery Barn Kids or write to Child Craft Industries, Inc., P.O. Box 444, Salem, IN 47167 USA for a replacement part or instructional literature if needed. Include Model Identification Number with your request which you recorded on page 1 of these instructions. DO NOT SUBSTITUTE PARTS. DO NOT MAKE ANY ALTERATIONS NOT DESCRIBED IN THESE ASSEMBLY DIRECTIONS.

CLEANING INSTRUCTIONS FOR YOUR CHILD CRAFT CRIB/TODDLER BED: Mix together a mild solution of gentle dishwashing liquid and water, apply to surface using a soft clean cloth lightly dampened in the solution. Rinse with clear water again using a soft clean cloth, then dry all surfaces thoroughly with a soft dry cloth. NO ABRASIVE CLEANERS, SCOURING PADS, STEEL WOOL, OR COARSE RAGS SHOULD BE USED TO CLEAN THIS FINE FURNITURE.

STORAGE AND USE OF YOUR CHILD CRAFT CRIB/TODDLER BED: A printed plastic pouch is attached to the crib spring for the permanent storage of the assembly directions. After completing the assembly process you are advised to read and be aware of all **WARNINGS, CAUTIONS, CLEANING, STORAGE, USE AND MAINTENANCE** notices contained in this set of directions and printed on the plastic pouch located on the underneath side of the crib spring. You will then place the complete set of assembly directions into the plastic pouch for future referral. We caution you not to place excess hardware in the plastic pouch as it could present danger to a child if retrieved. When storing crib use **CAUTION** as extreme temperature or humidity changes could be harmful. Use **CAUTION** when a vaporizer is in use, always aim vapor stream away from crib as well as away from any wood furniture item.

CCH01712:05/00JCHE.p65

CHILD CRAFT INDUSTRIES, INC.

P.O. BOX 444, SALEM, IN 47167-0444 USA

PH:812-883-3111 FAX:812-883-1819

<http://www.childcraftind.com>